



POLYMAX
PIPES
SURAKSHA KA VADA




CATALOGUE

uPVC CONDUITS

Durable and High Impact Resistant | Unbreakable | Flame Retardant |
Resistance to Fungal Attacks | Thermal Resistant from - 5°C to + 60°C
Smooth Finish from Inside, Makes the Pulling of Wire Easier.

POLYMAX CONDUITS SPECIFICATION

Polymax is an ISO 9001:2015 certified organization. POLYMAX CONDUITS are manufactured in accordance with the ISO Quality Standards.



COLOR

POLYMAX CONDUITS are available in two different colors.



International Organization for Standardization

ISO 9001:2015 CERTIFICATION NO. QP-55675/0825

- Ivory
- Grey

Conduit Color		LMS (color code)	MMS (color code)	HMS (color code)
Ivory				
Grey				

DIMENSIONS OF uPVC CONDUIT:

Nominal Size mm	Outside Diameter mm	Tolerance on Outside Diameter mm	Inside Diameter (Min) mm		
			Light	Medium	Heavy
20	20	- 0.3	17.4	16.9	15.8
25	25	- 0.4	22.1	21.4	20.6
32	32	- 0.4	28.6	27.8	26.6

uPVC CONDUITS

COLOR : IVORY / GREY | HSN CODE FOR CONDUITS : 39172310

PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	
LMS (LIGHT MECHANICAL STRESS)			
PMC012001	20	25PcX10Ft	
PMC012501	25	25PcX10Ft	
PMC013201	32	25PcX10Ft	

PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	
MMS (MEDIUM MECHANICAL STRESS)			
PMC0120011	20	25PcX10Ft	
PMC0125011	25	25PcX10Ft	
PMC0132011	32	25PcX10Ft	

PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	
HMS (HEAVY MECHANICAL STRESS)			
PMC012021	20	25PcX10Ft	
PMC012521	25	25PcX10Ft	
PMC013221	32	25PcX10Ft	

PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	
NON ISI FRLS CONDUITS			
PMC112011	20 (Standard)	25PcX10Ft	
PMC112511	25 (LMS)	25PcX10Ft	
PMC112522	25 (MMS)	25PcX10Ft	
PMC112533	25 (HMS)	25PcX10Ft	
PMC113211	32 (Standard)	25PcX10Ft	

PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	
BEND LONG			
PMCFT2041	20	24 Pcs	
PMCFT2541	25	24 Pcs	
PMCFT3241	32	18 Pcs	

PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	
BEND STANDARD			
PMCFT2042	20	24 Pcs	
PMCFT2542	25	24 Pcs	
PMCFT3242	32	18 Pcs	

*All conduits are available with one end socket

FOR PRICES:

Contact Us: 9464648530
WhatsApp : 9814647906

POLYMAX CONDUITS

- *High Impact Resistant
- *Unbreakable
- *Flame Retardant



POLYMAX
PIPES
SURAKSHA KA VADA

Terms and Conditions :

Goods are dispatched by us on purchaser's risk. All claims for loss, damage or shortage will be filed by the purchaser directly. Disputes if any are subject to Amritsar jurisdiction only. Due to continuous technology upgrades the design & specification may vary without notice.
